



# INDEX MAPS.

**T. 1 N. R. 9 E. 2<sup>nd</sup> Mer.**



**T. 2 N. R. 9 E. 2<sup>nd</sup> Mer.**



The figures on the lines refer to the page.

367

Township N.° 2 North, Range N.° 9 East, 2. Mer. Indiana

South Boundary. Sept. 19<sup>th</sup> 1806

East On Rand<sup>m</sup>. S. boundary of Sec 31

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 31 & 32

Good land timber Poplar, Beech &c.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 32

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

72.00 a Brook 6<sup>th</sup>. wide Cr. S.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 32 & 33

Good level land, timber Oak, Poplar &c.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 33

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

41.00 a Brook 3<sup>th</sup>. wide Cr. N.W.

80.00 Set temp<sup>y</sup>. Cor. to Sec. 33 & 34

Rich level land, timber Beech, Poplar &c.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 34

16.00 a Brook 3<sup>th</sup>. wide Course S.E.

24.00 a do. 3 " " " S.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

60.00 a Creek 30<sup>th</sup>. wide Cr. S.

70.00 a Brook 6 " " " S.W

80.00 Set temp<sup>y</sup>. Cor. to Sec. 34 & 35

Hilly Stony land, timber Oak, Poplar, Beech &c

---

East On Rand<sup>m</sup>. S. boundary of Sec. 35

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.00 Set temp<sup>y</sup>. Cor. to Sec. 35 & 36

Fallen timber very brushy

---

East On Rand<sup>m</sup>. S. boundary of Sec. 36

1.00 a Brook 3<sup>th</sup>. wide Course S.

10.00 a do. 3 " " " S.

40.00 Set q<sup>r</sup>. Sec. post temporarily



S. N. R. 9 E. 2<sup>nd</sup> Mer. Indiana

ch<sup>d</sup>. l<sup>th</sup>

48.50 a Brook 8 l<sup>th</sup>. wide C. S.

80.00 full 75 l<sup>th</sup>. S. of the Cor. of Town 1 & 2 N. Ranges  
9 & 10 East. Fallen timber very bushy  
hilly & Rocks

True Line, var. 5.50' E.

West On S. boundary of Sec. 36

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 48 in. dia<sup>r</sup>. bran, East 31 l<sup>th</sup>. dist. of  
no other timber near.

80.00 Set post Cor. to Sec. 35 & 36, from which  
an Ash 14 in. dia<sup>r</sup>. bran, S 60° W 10 l<sup>th</sup>. dist. of  
an Do. 15 " " " N 80° E 20 " "

West On S. boundary of Sec. 35

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia<sup>r</sup>. bran, N 27° E 34 l<sup>th</sup>. dist. of  
a Poplar 30 " " " S 25° W 52 " "

80.00 Set post Cor. to Sec. 34 & 35, from which  
a Beech 16 in. dia<sup>r</sup>. bran, North 50 l<sup>th</sup>. dist. of  
a W. Oak 14 " " " S 89° W 96 " "

West On S. boundary of Sec. 34

40.00 Set q<sup>r</sup>. Sec. post, from which  
an Elm 10 in. dia<sup>r</sup>. bran, S 70° E 13 l<sup>th</sup>. dist. of  
an Ash 18 " " " N 29° W 31 " "

80.00 Set post Cor. to Sec. 33 & 34, from which  
a Beech 16 in. dia<sup>r</sup>. bran, S 6° W 14 l<sup>th</sup>. dist. of  
a Do. 18 " " " N 4° W 45 " "

West On S. boundary of Sec. 33

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Poplar 36 in. dia<sup>r</sup>. bran, N 45° E 33 l<sup>th</sup>. dist. of  
a Beech 36 " " " S 42° W 39 " "

80.00 Set post Cor. to Sec. 32 & 33, from which  
a Beech 6 in. dia<sup>r</sup>. bran, N 45° W 10 l<sup>th</sup>. dist. of

369

T<sup>2</sup>N R9 E. 2<sup>d</sup> Mer. Indiana  
ch. l<sup>y</sup>  
a Gum 14 m. dia. bray S 9 E 17 l<sup>y</sup>. distant

---

West On S. boundary of Sec. 32.  
40.00 Let q. Sec. post, from which  
a Beech 14 m. dia. bray S 55 W 19 l<sup>y</sup>. dist. of  
a Do. 14 " " " S 81 E 55 " "  
80.00 Let post Cor. to Sec. 31 & 32, from which  
a Beech 16 m. dia. bray S 43 E 25 l<sup>y</sup>. dist. of  
a Sugar 24 " " " S 39 W 31 " "

---

West On S. boundary of Sec. 31  
40.00 Let q. Sec. post, from which  
a Beech 12 m. dia. bray S 76 E 12 l<sup>y</sup>. dist. of  
a Do. 12 " " " S 18 W 10 " "  
80.00 to the Corner of Township 16<sup>th</sup> North, in  
Range 8 & 9 East

---

East Boundary. var 5° 50' E.

South On E. boundary of Sec. 1  
25.75 a Beech 18 m. dia.  
40.00 Let q. Sec. post, from which  
a Dogw. 6 m. dia. bray S 29 W 13 l<sup>y</sup>. dist. of  
and Ash 16 " " " S 52 E 22 " "  
51.80 a Gum 18 " "  
53.50 a Brook 3 l<sup>y</sup>. wide Course S. W.  
80.00 Let post Cor. to Sec. 1 & 12, from which  
a Beech 12 m. dia. bray S 67 E 7 l<sup>y</sup>. dist. of  
a Do. 12 " " " S 21 W 23 " "  
First 1/2 level good land, last 1/2 mile Stony hill  
side, timber Oak, Cedar, Beech &c.

---

South On E. boundary of Sec. 12  
25.30 a W. Oak 18 m. dia.  
40.00 Let q. Sec. post, from which  
a W. Oak 14 m. dia. bray S 71 E 10 l<sup>y</sup>. dist. of  
a Sugar 6 " " " S 87 W 16 " "

S. N. R. G. Co. 2<sup>nd</sup> Mer. Indianach<sup>d</sup> l<sup>y</sup>48.00 a Creek 50 l<sup>y</sup>. wide Course E.

76.00 a Brook 6 " " " E.

80.00 Set post Cor. to Sec. 12 of 13, from which  
 a W. Oak 13 in. dia<sup>r</sup>. bran N 47° W 20 l<sup>y</sup>. dist. of  
 a Walnut 20 " " " N 85° E 21 " "  
 Hilly rich land, timber Oak, Sugar, Buckeye &c.

South On E. boundary of Sec. 13

23.00 a Beech 18 in. dia<sup>r</sup>.39.50 a Brook 5 l<sup>y</sup>. wide Course E.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 14 in. dia<sup>r</sup>. bran S 52° E 2 l<sup>y</sup>. dist. of  
 a Buckeye " " " N 52° W 34 " "

51.50 a Poplar 36 " "

62.00 a Brook 6 l<sup>y</sup>. wide Course E.

75.00 a Do. 6 " " "

80.00 Set post Cor. to Sec. 13 of 24, from which  
 a W. Oak 40 in. dia<sup>r</sup>. bran N 70° E 29 l<sup>y</sup>. dist. of  
 a Beech 12 " " " S 52° W 29 " "  
 First 1/2 mile good level land last 1/2 hilly & stony  
 land, timber Oak, Gum, Beech &c.

South On E. boundary of Sec. 24

20.60 a Poplar 36 in. dia<sup>r</sup>.27.00 a Brook 6 l<sup>y</sup>. wide Course E.

40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 15 in. dia<sup>r</sup>. bran S 6° E 12 l<sup>y</sup>. dist. of  
 a Gum 15 " " " N 9° E 22 " "

60.00 a Brook 6 l<sup>y</sup>. wide Course E.76.80 a Beech 12 in. dia<sup>r</sup>.

80.00 Set post Cor. to Sec. 24 of 25, from which  
 a Gum 12 in. dia<sup>r</sup>. bran N 22° W 10 l<sup>y</sup>. dist. of  
 a Do. 15 " " " S 19° E 21 " "  
 First 1/2 mile hilly rocky land last 1/2 mile level  
 poor land Oak, Gum, Beech &c. Sept. 12<sup>th</sup> 1806

P. N. R. 9 E. 2<sup>d</sup>. Mer. Indiana 371

ch<sup>2</sup> 1/2

South On E. boundary of Sec. 25

20.00 a Brook 4<sup>th</sup>. wide Course E.

27.18 a Beech 14 mi. dist.

40.00 Set of Sec. post, from which  
a W. Oak 36 mi. dist. by S 28 E 7<sup>th</sup>. dist. of  
a Gum 15 " " " N 19 W 50 " "

58.60 a Poplar 36 " "

80.00 Set post Cor. to Sec. 25 & 36, from which  
a W. Oak 24 mi. dist. by S 3 E 4<sup>th</sup>. dist. of  
a W. Oak 12 " " " N 45 W 40 " "

Level land, first 1/2 poor - last 1/2 good, timber  
Oak, Beech, Gum &c.

South On E. boundary of Sec. 36

5.00 a Brook 5<sup>th</sup>. wide Course W

23.00 a Gum 18 mi. dist.

35.00 a Brook 3<sup>th</sup>. wide Course W.

40.00 Set of Sec. post, from which  
a Beech 24 mi. dist. by W 25 E 5<sup>th</sup>. dist. of  
a Do. 9 " " " S 53 E 29 " "

68.50 a Brook 10<sup>th</sup>. wide Course E.

80.00 Set post Cor. to Township 1, 2 N. Range 9  
& 10 East, from which  
a Beech 16 mi. dist. by S 36 E 15<sup>th</sup>. dist. of  
a Do. 10 " " " N 34 W 23 " "

Good land, timber Oak, Poplar, Beech &c

The above Township line was remeasured by  
Stephen Sudlow, and found to be 5 chains longer  
than Mr. Holmes made it; Therefore the stream,  
station trees &c. are all 5 chains too far north.

Stephen Sudlow's Remeasurement.

North On E. boundary of Sec. 36

40.00 Set of Sec. post, from which

a W. Oak 12 mi. dist. by S 30 W 3<sup>th</sup>. dist. of  
a Do. 16 " " " N 58 E 39 " "



# St. N. R. 9 E. T. 2. Mo. Indiana

ch. 2. 1/2

80.00 Set post Cor. to Sec. 25 & 36, from which  
a Beech 8 in. dia. bay S 10 E 20 lns. dist. of  
a Do. 9 " " " N 28 W 31 " "  
Saviland, Beech, Oak, Gum &c.

North On E. boundary of Sec. 25

40.00 Set q. Sec. post, from which  
a W. Oak 10 in. dia. bay East 6 lns. dist. of  
a Gum 14 " " " S 78 W 29 " "

80.00 Set post Cor. to Sec. 24 & 25, from which  
a Beech 8 in. dia. bay West 14 lns. dist. of  
a W. Oak 36 " " " East 12 " "

North On E. boundary of Sec. 24

40.00 Set q. Sec. post, from which  
a Poplar 36 in. dia. bay N 40 W 21 lns. dist. of  
a Beech 12 " " " S 17 W 12 " "

80.00 Set post Cor. to Sec. 13 & 24, from which  
a Mulberry 12 in. dia. bay N 39 W 6 lns. dist. of  
a Poplar 60 " " " S 4 W 28 " "

North On E. boundary of Sec. 13

40.00 Set q. Sec. post, from which  
a W. Walnut 20 in. dia. bay S 48 W 12 lns. dist. of  
a Beech 22 " " " N 70 E 17 " "

80.00 Set post Cor. to Sec. 12 & 13, from which  
a Mulberry 14 in. dia. bay S 46 W 17 lns. dist. of  
a Beech 12 " " " N 40 E 25 " "

North On E. boundary of Sec. 12

40.00 Set q. Sec. post, from which  
an Elm 60 in. dia. bay N 33 W 19 lns. dist. of  
a Do 16 " " " S 68 E 17 " "

80.00 Set post Cor. to Sec. 1 & 12, from which  
a Poplar 24 in. dia. bay N 80 E 13 lns. dist. of  
a Do. 18 " " " S 40 W 31 " "



# T3N. R9E. 2<sup>d</sup> Mer. Indiana

Ch. 1<sup>st</sup>

North On E. boundary of Sec. 1

40.00 at Buck 16 m. dist. stands for q<sup>r</sup>. Sec. Corner  
 85.12 to the Corner of Town 2<sup>d</sup> & 3<sup>d</sup> North, Range 9  
 & 10 East. Surveyed by S. Ludlow, U.S.  
 (Note. The bearing trees at the section and  
 quarter section corner on the above line are the  
 true ones. S.M.)

## North Boundary

East On Rand<sup>m</sup> S. boundary of Sec. 31, T3N. R9E.40.00 at temp<sup>y</sup>. q<sup>r</sup>. Sec. post52.00 at Brook 3<sup>1</sup>/<sub>2</sub> m. wide Course S.

75.00 a do. 15 " " " S.W.

80.00 at temp<sup>y</sup>. Cor. to Sec. 31 & 32

Land good timber Oak, Hickory &amp;c.

East On Rand<sup>m</sup> S. boundary of Sec. 32, T3N. R9E.0.50 at Brook 3<sup>1</sup>/<sub>2</sub> m. wide Course S.

31.00 a do. 3 " " " S.

40.00 at temp<sup>y</sup>. q<sup>r</sup>. Sec. post47.00 at Brook 3<sup>1</sup>/<sub>2</sub> m. wide Course S.

60.00 a do. 6 " " " S.W.

80.00 at temp<sup>y</sup>. Cor. to Sec. 32 & 33

First 1/2 mile flat land, Beech, Gum, Oak &c. last.  
 1/2 mile pretty good Oak land

East On Rand<sup>m</sup> S. boundary of Sec. 33, T3N. R9E40.00 at temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 at temp<sup>y</sup>. Cor. to Sec. 33 & 34

Flat land, timber Beech, Oak, Gum &amp;c.

East On Rand<sup>m</sup> S. boundary of Sec. 34, T3N. R9E.11.00 at Brook 3<sup>1</sup>/<sub>2</sub> m. wide Course S.40.00 at temp<sup>y</sup>. q<sup>r</sup>. Sec. post46.00 at Brook 4<sup>1</sup>/<sub>2</sub> m. wide Course S.80.00 at temp<sup>y</sup>. Cor. to Sec. 34 & 35

374

S. 1. N 9 E. 2<sup>d</sup>. Mer. Indiana  
 ch. 2. lks  
 Flat land, timber Beech, Oak, Gum &c.

East On Rand<sup>m</sup>. S. boundary of Sec. 35, T. 3. N. R. 9 E.

7.00 a Brook 4 lks. wide Course S.

30.00 a Do. 15 " " " S.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

47.00 a Brook 4 lks. wide Cr. S. W.

55.00 a Do. 3 " " " S.

70.00 a Do. 3 " " " S. W.

80.00 Let temp<sup>y</sup>. Cor. to Sec. 35 & 36

Rich land, timber Oak, Hickory, Ash &c.

East On Rand<sup>m</sup>. S. boundary of Sec. 36, T. 3. N. R. 9 E.

10.00 a Brook 3 lks. wide Cr. S.

25.00 a Do. 3 " " " S. W.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

77.50 Full 300 lks. S. of the Cor. of Town 2 & 3 North  
 Range 9 of 10 E.

True Line. Var. 5° 50' E.

West On S. boundary of Sec. 36, T. 3. N. R. 9 E.

40.00 Let q<sup>r</sup>. Sec. post, from which

a Gum 16 in. dia. bran N 39 E 18 lks. dist. of

a W. Oak 40 " " " N 4 E 32 " "

80.00 Let post Cor. to Sec. 35 & 36, T. 3. N. R. 9 E. from which

a Hickory 14 in. dia. bran N 17 W 5 lks. dist. of

a Do. 12 " " " S 52 W 31 " "

West On S. boundary of Sec. 35, T. 3. N. R. 9 E.

40.00 Let q<sup>r</sup>. Sec. post, from which

a Poplar 36 in. dia. bran N 49 W 19 lks. dist. of

an Ash 16 " " " N 75 E 26 " "

80.00 Let post Cor. to Sec. 34 & 35, T. 3. N. R. 9 E. from which

a W. Oak 16 in. dia. bran N 43 E 18 lks. dist. of

a Do. 12 " " " N 49 W 54 " "

T3 N. R9 E. 2. Mer. Indiana

375

ch<sup>l</sup> l<sup>h</sup>

West On S. boundary of Sec. 34, T3 N. R9 E.

40.00 Set of Sec. post, from which  
a Gum 18 in. dia. bray N30 E 28 l<sup>h</sup>. dist. of  
a Maple 12 " " " N49 W 34 " "

80.00 Set post Cor. to Sec. 33 & 34, T3 N. R9 E, from which  
a Maple 12 in. dia. bray S74 E 10 l<sup>h</sup>. dist. of  
a W. Oak 16 " " " N52 W 43 " "

West On S. boundary of Sec. 33, T3 N. R9 E.

40.00 Set of Sec. post, from which  
a W. Oak 16 in. dia. bray S2 E 26 l<sup>h</sup>. dist. of  
a Gum 18 " " " N24 E 22 " "

80.00 Set post Cor. to Sec. 32 & 33, T3 N. R9 E, from which  
a Hickory 9 in. dia. bray S87 E 29 l<sup>h</sup>. dist. of  
a W. Oak 9 " " " S88 W 29 " "

West On S. boundary of Sec. 32, T3 N. R9 E.

40.00 Set of Sec. post, from which  
a Beech 12 in. dia. bray N21 E 37 l<sup>h</sup>. dist. of  
a W. Oak 12 " " " S8 W 42 " "

80.00 Set post Cor. to Sec. 31 & 32, T3 N. R9 E, from which  
a W. Oak 30 in. dia. bray N69 W 24 l<sup>h</sup>. dist. of  
a do. 24 " " " N64 E 45 " "

West On S. boundary of Sec. 31, T3 N. R9 E.

\*38.75 Set of Sec. post, from which  
a W. Oak 9 in. dia. bray N54 W 9 l<sup>h</sup>. dist. of  
a Beech 16 " " " N49 E 54 " "

77.50 to the Township Corner

\* According to law the first half mile should  
be 40.00 ch<sup>l</sup>. instead of 38.75

West Boundary.

September 18<sup>th</sup>. 1806, variation 5° 50' E.

South On E. boundary of Sec. 1, T2 N. R8 E.

17.40 a Hickory 18 in. dia.

T2N R9E. 2<sup>d</sup>. Mer. Indiana

ch. 4. 1/2

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Gum 12 in. dia<sup>r</sup>. bray N 36 E 26 1/2 in. dist of  
a W. Oak 30 " " " N 3 W 48 " "

57.25 a Do. 24 " "

80.00 Set post cor. to Sec. 1, 12, T2N. R8E, from which  
a Beech 12 in. dia<sup>r</sup>. bray N 3 E 12 1/2 in. dist of  
a W. Oak 12 " " " S 73 W 26 " "  
Flat wet land, timber Beech, Maple, Oak &c

South On E. boundary of Sec. 12, T2N. R8E.

19.25 a W. Oak 15 in. dia<sup>r</sup>.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Buckeye 8 in. dia<sup>r</sup>. bray S 88 W 9 1/2 in. dist of  
an Ash 12 " " " N 20 E 34 " "

42.00 a Creek 50 yds. wide Course S. W.

56.00 a Gum 30 in. dia<sup>r</sup>.

80.00 Set post cor. to Sec. 12, 13, T2N. R8E, from which  
a Beech 16 in. dia<sup>r</sup>. bray S 40 W 6 1/2 in. dist of  
a Do. 18 " " " N 6 E 42 " "  
Poor thin level land, timber Oak, Beech, Gum &c.

South On E. boundary of Sec. 13, T2N. R8E.

3.00 a brook 5 yds. wide Cr. S. W.

17.50 a W. Oak 16 in. dia<sup>r</sup>.

18.00 a brook 3 yds. wide Cr. S. W.

35.00 a Do. 4 " " " S. E.

40.00 Set q<sup>r</sup>. Sec. post, from which  
a Beech 16 in. dia<sup>r</sup>. bray S 20 E 17 1/2 in. dist of  
a Do. 14 " " " N 69 W 28 " "

64.00 a Do. 17 " "

68.50 a Brook 15 yds. wide Course W.

80.00 Set post cor. to Sec. 13 & 24, T2N. R8E, from which  
a Beech 12 in. dia<sup>r</sup>. bray S 27 E 25 1/2 in. dist of  
a Walnut 16 " " " N 20 W 22 " "  
Generally good land, timber Beech, Walnut, Oak &c.



T2N-R9E. 2<sup>d</sup>. Mer. Indiana 377

ch<sup>d</sup>. this  
 South On E. boundary of Sec. 24, T2N. R8E.  
 2.50 a Brook 10 lks. wide Cr. S.W.  
 16.00 a Beech 14 in. dia.  
 40.00 a Rich<sup>d</sup> in. dia. Cor., from which  
     a W. Oak 30 in. dia. bray S60 E 25 lks. dist. &  
     a Beech 16 " " " N 75 W 38 " "  
 52.00 a W. Oak 16 " "  
 80.00 Set post Cor. to Sec. 24 & 25, T2N. R8E, from which  
     a Beech 12 in. dia. bray N 85 E 6 lks. dist. &  
     a Do. 10 " " " N 74 W 38 " "  
 Flat land, timber Beech, Oak &c.

---

South On E. boundary of Sec. 25, T2N. R8E.  
 10.00 a Beech 14 in. dia.  
 25.00 a Brook 3 lks. wide Cr. S.W.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Poplar 30 in. dia. bray S 5 W 30 lks. dist. &  
     a Do. 30 " " " N 3 W 21 " "  
 48.00 a Brook 10 lks. wide Course W.  
 49.70 Honey Locust 20 in. dia.  
 80.00 Set post Cor. to Sec. 25 & 36, T2N. R8E, from which  
     a W. Oak 18 in. dia. bray N 28 E 22 lks. dist. &  
     a Gum 24 " " " N 67 W 44 " "  
 Good level land, timber Beech, Oak, Poplar &c.

---

South On E. boundary of Sec. 36, T2N. R8E.  
 6.00 a Creek 60 lks. wide Cr. S.W.  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
     a Beech 8 in. dia. bray N 79 E 3 lks. dist. &  
     a Do. 10 " " " N 59 W 17 " "  
 58.50 a Do. 24 " "  
 80.00 Set post Cor. to Township 1 & 2 North Range  
     8 & 9 East from which  
     a Beech 16 in. dia. bray S 8 W 30 lks. dist. &  
     a Do. 18 " " " N 7 E 51 " "  
 Good land, timber Beech, Poplar &c.



S. N. R. G. E. 2<sup>d</sup>. Mer. Indiana  
 ch. 2. 1/2  
 Surveyed in 1886 by  
 Alexander Holmes  
 Deputy Surveyor

---

### Subdivision.

North Between Sec. 35 & 36

- 40.00 Let q. Sec. post, from which  
 a Beech 6 m. dist. by N 10 E 16 l. dist. of  
 a Maple 9 " " " N 20 W 5 " "  
 80.00 Let post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Hickory 10 m. dist. by S 60 E 16 l. dist. of  
 a W. Ash 12 " " " N 45 W 32 " "  
 Level 3<sup>d</sup> rate land Beech, Oak, Gum &c,  
 Soil rather wet for cultivation
- 

East On Land<sup>m</sup>. Between Sec. 25 & 36

- 40.00 Let temp. q. Sec. post.  
 80.14 Intersected the E. boundary 20 l. S. of post  
 Land timber &c. same as on the last mile
- 

West Corrected between Sec. 25 & 36

- ~~3.50 at Birch 6 l. wide Course S. W.~~  
 12.00 a Do. 6 l. " " S.  
 40.07 Let q. Sec. post at arrival dist. from which  
 a Gum 20 m. dist. by North 1 l. dist. of  
 a Maple 10 " " " N 20 E 11 " "  
 80.14 to Sec. Cor.
- 

North Between Sec. 25 & 26

- 20.00 a stream 8 l. wide C. S. W.  
~~40.00 Let q. Sec. post, from which~~  
 a Dogwood 4 m. dist. by N 39 W 16 l. dist. of  
 a W. Ash 14 " " " S 28 E 16 " "  
 70.00 a W. Oak 28 " " "  
 74.00 a stream 8 l. wide Course S. W.  
 77.50 a Do. 6 " " " S. W.

379

S. N. R. & E. 2<sup>nd</sup> Mer. Indiana

ch. 2<sup>nd</sup> l<sup>th</sup>  
 80.00 Let post Cor. to Sec. 23, 24, 25 & 26, from which  
 a N. Ash 5 in. diam. beam stands for the post  
 Level 2<sup>nd</sup>. (note land Beech, Oak, Poplar &c.)

---

North Between Sec. 34 & 35

11.50 a stream 10 l<sup>th</sup>. wide runn W.  
 25.00 a do. 10 " " " S.W.  
 34.50 a Poplar 24 in. diam.  
 40.00 Let q. Sec. post, from which  
 a Beech 24 in. diam. beam S 20 E 5 l<sup>th</sup>. dist. &  
 no other  
 73.00 a stream 16 l<sup>th</sup>. wide Course S.W.  
 80.00 Let post Cor. to Sec. 26, 27, 34 & 35, from which  
 a Sugar 12 in. diam. beam N 3 E 19 l<sup>th</sup>. dist. &  
 a Beech 24 " " " S 39 W 9 " "  
 Level 2<sup>nd</sup>. (note land, Beech, Oak, Gum &c.)

---

East On Rand<sup>m</sup>. between Sec. 26 & 35

40.00 Let temp. q. Sec. post  
 80.20 Intersected the N of S. line 14 l<sup>th</sup>. S. of post  
 Sand timber &c. Same as on the last mile

---

West Corrected between Sec. 26 & 35

25.00 a stream 12 l<sup>th</sup>. wide Course S.  
 40.10 Let q. Sec. post at average dist. from which  
 a Buckeye 4 in. diam. beam N 19 E 12 l<sup>th</sup>. dist. &  
 a Walnut 36 " " " S 76 E 25 " "  
 52.00 a stream 12 l<sup>th</sup>. wide Course S.  
 73.20 a Gum 18 in. diam.  
 80.20 to Sec. Corner.

---

North Between Sec. 26 & 27

40.00 Let q. Sec. post, from which  
 a Beech 10 in. diam. beam N 28 W 5 l<sup>th</sup>. dist. &  
 a do. 16 " " " S 71 E 23 " "  
 80.00 Let post Cor. to Sec. 22, 23, 26 & 27, from which

# East 1/2 Sec. 27, Mer. Indiana

ch. 1/2

a Beech 12 mi. dist. from West 9/16, dist. of  
a ——— 48 " " " " S 11 E 14 "  
Level 2<sup>nd</sup> rate land Beech, Poplar, Gum &c.  
under 1<sup>st</sup> price 1/2

North Between Sec. 33 & 34

40.00 Set of Sec. post, from which  
a Beech 10 mi. dist. from N 20 E 29/32, dist. of  
a Do. 8 " " " " N 40 W 9 " "

54.72 a Do. 28 " " " "

80.00 Set post Cor. to Sec. 27, 28, 33 & 34, from which  
a Gum 8 mi. dist. from S 28 E 37/32, dist. of  
a Gum 15 " " " " S 30 E 31 "  
Level fine rich 2<sup>nd</sup> rate land, Beech, Oak,  
Gum, Poplar &c. under 1<sup>st</sup> price

East On Land 9<sup>th</sup> between Sec. 27 & 34

40.00 Set temp. of Sec. post

79.64 Intersected the N & S. line at the post  
Land, timber &c. same as on the last mile

West Corrected between Sec. 27 & 34

2.00 a Stream 8/16 mi. wide runs S.

40.00 Set of Sec. post at average dist. from which  
a Beech 22 mi. dist. from N 20 W 5/16, dist. of  
a Do. 6 " " " " S 4 W 15 " "

79.64 to Sec. Corner

North Between Sec. 27 & 28

8.68 a W. Oak 24 mi. dist.

25.00 a Brook 6/16 mi. wide Course S. W.

40.00 a W. Ash 16 mi. dist. Stand for. of Sec. post

80.00 Set post Cor. to Sec. 21, 22, 27 & 28, from which  
a Beech 18 mi. dist. from N 20 E 40/32, dist. of  
a Do. 24 " " " " N 60 W 22 " "  
Level 2<sup>nd</sup> rate land, Beech, Oak & Poplar, under 1<sup>st</sup> price

Dist. Rge. 2<sup>d</sup> Mer. Indiana 381

ch<sup>2</sup> by

North Between Sect. 33 & 32

- 9.50 a Spring branch C. S. W.  
 40.00 Let of Sec. post, from which  
 a Beech 12 in. dia. bray S 30 E 12 in. dist. of  
 a Do. 6 " " " N 40 W 6 " "  
 80.00 Let post Cor. to Sect. 28, 29, 32 & 33, from which  
 a Beech 12 in. dia. bray N 84 W 13 in. dist. of  
 a C. Elm 12 " " " N 87 E 16 " "  
 Sand timber &c. same as on the last mile

East On Road. between Sect. 28 & 33

- 40.00 Let timber of Sec. post  
 79.08 Intersected the N & S line 50 in. N. of post  
 Sand timber &c. same as on the last mile

West Corrected between Sect. 28 & 33

- 39.54 Let of Sec. post at average dist. from which  
 a Beech 10 in. dia. bray N 26 W 32 in. dist. of  
 a Do. 8 " " " N 40 E 5 " "  
 49.20 a Gum 18 " "  
 79.08 to Section Corner

North Between Sect. 28 & 29

- 7.00 a W. Ash 36 in. dia.  
 16.00 a Creek 40 in. wide Course W.  
 40.00 Let of Sec. post, from which  
 a Beech 24 in. dia. bray N 84 E 23 in. dist. of  
 a Do. 12 " " " N 10 W 28 " "  
 80.00 Let post Cor. to Sect. 20, 21, 28 & 29, from which  
 a C. Oak 4 in. dia. bray N 10 E 7 in. dist. of  
 a B. Walnut 18 " " " N 40 W 28 " "  
 Sand level &c. rate, timber Beech, Poplar, Ash  
 Gum &c. and dig<sup>r</sup>. Spruce &c.

North Between Sect. 31 & 32

- 40.00 Let of Sec. post, from which



S. N. R. G. 2.<sup>d</sup> Mor. Indiana

ch. lth

- a Beech 24 mi. dist. from S 41° 17' lth. dist. of  
 a Do. 6 " " " N 64° E 14 " "  
 50.50 a Poplar 36 " "  
 80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which  
 a W. Ash 18 mi. dist. from S 40° E 13 lth. dist. of  
 a Do. 16 " " " S 5° E 14 " "  
 Land, timber &c. same as on the last mile

## East On Road between Sec. 29 &amp; 32

- 40.00 Left temp. of Sec. post  
 80.00 Intersected the N. of S. line 10 lth. N. of post  
 Land timber &c. same as on the last mile

## West Connected between Sec. 29 &amp; 32

- 6.25 a Double Poplar 72 mi. dist.  
 25.00 an improvement 500 lth. to our right  
 40.00 Set of Sec. post, from which  
 a W. Walnut 10 mi. dist. from South 2 lth. dist. of  
 a Beech 12 " " " N 70° 16 " "  
 80.00 to Sec. Corner

## West Between Sec. 30 &amp; 31

- 40.00 Set of Sec. post, from which  
 a Beech 18 mi. dist. from S 69° 11' 28 lth. dist. of  
 a Do. 14 " " " N 45° 11' 43 " "  
 45.00 an improvement on our left  
 76.00 a creek 50 lth. wide Cr. S. W.  
 80.12 Intersected N. boundary at the post  
 Land timber &c. same as on the last mile

## North Between Sec. 29 &amp; 30

- 6.28 a W. Ash 28 mi. dist.  
 20.00 a stream 25 lth. wide Cr. W.  
 40.00 Set of Sec. post, from which  
 a " 22 mi. dist. from S 84° 17' lth. dist. of  
 a W. Ash 28 " " " S 5° E 18 " "



383

*S. N. R. G. 2<sup>nd</sup> Mer. Indiana*  
*ch. 1/2*  
 80.00 At post Cor. to Sec. 19, 20, 29 & 30, from which  
 a Beech 16 mi. dist. by N 22 E 35 km. dist. of  
 a Do. 4 " " " N 38 E 15 "  
 This mile some broken 2<sup>nd</sup> rate, timber Beech  
 Oak, Ash & Poplar

---

*West Between Sec. 19 & 30*  
 25.00 a small Brook 5 km. wide Course S.  
 40.00 At q. Sec. post, from which  
 a Beech 14 mi. dist. by S 5 E 10 km. dist. of  
 a Gum 12 " " " N 68 W 17 "  
 65.70 a Poplar 22 " "  
 79.50 Intersected N. boundary 78 km. S. of post  
 At post Cor. to Sec. 19 & 30, from which  
 a Beech 6 mi. dist. by N 80 W 14 km. dist. of  
 a Do. 8 " " " N 60 E 28 "  
 Level 3<sup>rd</sup> rate, Beech, Oak, Gum &c.

---

*East On Randm. between Sec. 20 & 29*  
 40.00 At q. Sec. post temporarily  
 80.14 Intersected the S. & S. line 8 km. S. of post  
 Level 2<sup>nd</sup> rate land, Beech, Oak, Gum &c.

---

*West Connected between Sec. 20 & 29*  
 35.00 an improvement to our right  
 40.07 At q. Sec. post at average dist. from which  
 a Gum 16 mi. dist. by S 40 W 23 km. dist. of  
 a Beech 10 " " " N 83 W 17 "  
 71.00 a Stream 12 km. wide C.S. rocky bottom  
 80.14 to Sec. Corner

---

*East On Randm. between Sec. 21 & 28*  
 40.00 At temp. q. Sec. post  
 80.00 Intersected the S. & S. line 30 km. S. of post  
 Sand timber &c. Same as on the last mile

---

S. N. R. & Co. 2<sup>nd</sup> Mer. Indianach<sup>d</sup> by

West Connected between Sec. 21 &amp; 28

23.50 a Stream 20 hrs. wide Course S.

29.00 a Beech 18 in. dia.

40.00 Set of Sec. post, from which  
a Beech 3 in. dia. beam S 84 E 5 hrs. dist. &  
a do. 14 " " " N 70 E 27 " "

65.70 a Poplar 36 " "

80.00 to Sec. Corner

East On Land<sup>m</sup>. between Sec. 22 & 27

40.00 Set of Sec. post temporarily

80.20 Intersected the S. & S. line 14 hrs. N. of post  
Low post 3<sup>rd</sup> rate land, Beech, Poplar, Gum &c.

West Connected between Sec. 22 &amp; 27

40.10 Set of Sec. post at average dist. from which  
a W. Oak 30 in. dia. beam N 29 W 11 hrs. dist. &  
a Hickory 22 " " " S 81 E 17 " "

80.20 to Sec. Corner

East On Land<sup>m</sup>. between Sec. 23 & 26

40.00 Set of Sec. post temporarily

79.17 Intersected the S. & S. line 54 hrs. S. of post  
Sand timber &c. Same as on the last mile

West Connected between Sec. 23 &amp; 26

39.58 Set of Sec. post at average dist. from which  
a Gum 10 in. dia. beam N 50 W 18 hrs. dist. &  
a Beech 8 " " " S 79 E 7 " "

79.17 to Sec. Corner

East On Land<sup>m</sup>. between 24 & 2540.00 Set temp<sup>y</sup>. of Sec. post80.50 Intersected the E. boundary 30 hrs. S. of post.  
Sand timber &c. Same as on the last mile

385

S. N. 129 E. 2<sup>n</sup>. Mer. Indiana

ch. 6<sup>th</sup>  
West Corrected between Sec. 24 & 25  
40.25 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 8 in. dia<sup>r</sup>. bray N 30 W 17<sup>th</sup> ln. dist. of  
a Do. 14 " " " S 71 E 18 " "  
41.50 a Gum 18 " "  
80.50 to Sec. Corner

North Between Sec. 23 & 24  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Hickory 10 in. dia<sup>r</sup>. bray N 30 W 26<sup>th</sup> ln. dist.  
no other tree  
80.00 Set post Cor. to Sec. 13, 14, 23 & 24, from which  
a Beech 18 in. dia<sup>r</sup>. bray N 36 W 9<sup>th</sup> ln. dist. of  
a Do. 8 " " " S 8 E 23 "  
Level 3<sup>d</sup> rate land, timber Beech, Ash, Gum  
Hickory & Poplar, soil rocky, cold

East On 1<sup>st</sup> Land<sup>m</sup>. between Sec. 13 & 24  
40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
80.11 Intersected the E. boundary 40<sup>th</sup> ln. N. of post  
Land timber &c. same as on the last mile

West Corrected between Sec. 13 & 24  
40.05 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Maple 12 in. dia<sup>r</sup>. bray S 50 E 28<sup>th</sup> ln. dist. of  
a Beech 15 " " " S 70 W 13 " "  
80.11 to Sec. Corner

North Between Sec. 13 & 14  
40.00 Set q<sup>r</sup>. Sec. post, from which  
a Gum 14 in. dia<sup>r</sup>. bray S 50 E 29<sup>th</sup> ln. dist. of  
a Do. 16 " " " S 64 W 17 " "  
80.00 Set post Cor. to Sec. 11, 12, 13 & 14, from which  
a Beech 28 in. dia<sup>r</sup>. bray N 60 E 51<sup>th</sup> ln. dist. of  
a Do 16 " " " S 36 W 11 " "  
Land timber &c. same as on last mile

T<sup>h</sup> N. R<sup>g</sup> E. 2<sup>d</sup> Mer. Indiana

ch<sup>l</sup>ly  
North Between Sec<sup>s</sup> 22 & 23

5.00 a Stream 5<sup>th</sup> (wide Cr<sup>s</sup> S. E.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Maple 16 in. dia<sup>r</sup>. bray S 86 E 13<sup>th</sup> dist. of  
a Gum 12 " " " S 60 W 13 " "

64.00 a Poplar 24 " "

70.00 a Stream 12<sup>th</sup> (wide Course S. W.

80.00 Let post Cor. to Sec<sup>s</sup> 14, 15, 22 & 23, from which  
a Beech 20 in. dia<sup>r</sup>. bray S 16 W 22<sup>th</sup> dist. of  
a W. Oak 16 " " " N 44 W 5 " "  
Land level & wet, (Maple, Elm &c. good for  
Meadow Soil Cold 3<sup>d</sup> rate

East On Road<sup>m</sup>. between Sec<sup>s</sup> 14 & 23

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.62 Intersected the N<sup>g</sup> S. line 4<sup>th</sup>. N. of post  
Land timber &c. same as on the last mile

West Connected between Sec<sup>s</sup> 14 & 23

39.81 Let q<sup>r</sup>. Sec. post at average dist. from which  
a W. Oak 16 in. dia<sup>r</sup>. bray S 30 W 5<sup>th</sup> dist. of  
a Gum 14 " " " N 20 E 9 " "

77.00 a Stream 10<sup>th</sup> (wide Course S.

79.62 to Sec. Corner

North Between Sec<sup>s</sup> 14 & 15

36.40 a W. Oak 24 in. dia<sup>r</sup>.

40.00 Let q<sup>r</sup>. Sec. post, from which  
a Beech 10 in. dia<sup>r</sup>. bray S 37 E 4<sup>th</sup> dist. of  
a Do. 4 " " " N 70 W 18 " "

80.00 Let post Cor. to Sec<sup>s</sup> 10, 11, 14 & 15, from which  
a Beech 10 in. dia<sup>r</sup>. bray S 71 E 16<sup>th</sup> dist. of  
a Do. 6 " " " N 38 W 17 " "

Level 3<sup>d</sup> rate land, timber Beech, Oak  
Poplar Gum &c. Soil Cold.



Lot No 19 E. 2<sup>nd</sup> Mer. Indiana <sup>387</sup>

ch<sup>lly</sup> North Between Secs. 21 & 22

40.00 At q<sup>r</sup>. Sec. post, from which  
a Lycamore 24 mi. dist. bearing N 36° W 34 lbs. dist. of  
a W. Ash 12 " " " S 40° E 34 " "

42.00 a Stream 16 lbs. wide Course S. W.

80.00 At post Cor. to Secs. 15, 16, 21 & 22, from which  
a Beech 16 mi. dist. bearing S 64° W 7 lbs. dist. of  
a W. Oak 36 " " " S 40° W 17 " "  
Level 2<sup>nd</sup> rate land Beech, Poplar, Gum &c.

East On Land<sup>m</sup>. between Secs. 15 & 22

40.00 At temp<sup>y</sup>. q<sup>r</sup>. Sec. post

80.10 Intersected the N & S. line 40 lbs. S. of post  
Level 3<sup>rd</sup> rate Beech, Oak, Gum, Maple &c.

West Connected between Secs. 15 & 22

40.05 At q<sup>r</sup>. Sec. post at average dist. from which  
(no bearing trees were taken (being omitted))

80.10 to Sec. Corner.

North Between Secs. 15 & 16

40.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 10 mi. dist. bearing S 64° W 24 lbs. dist. of  
a Poplar 20 " " " S 8° E 31 " "

55.00 a Stream 12 lbs. wide Course S. W.

80.00 At post Cor. to Secs. 9, 10, 15 & 16, from which  
a W. Ash 10 mi. dist. Stand for the Corner  
Land timber &c. same as on the east mile

North Between Secs. 20 & 21

25.50 a Small Stream 6 lbs. wide Cr. S. W.

40.00 At q<sup>r</sup>. Sec. post, from which  
a Beech 10 mi. dist. bearing East — lbs. dist. of  
a Gum 18 " " " N 82° W 27 " "

80.00 At post Cor. to Secs. 16, 17, 20 & 21, from which  
a Gum 24 mi. dist. bearing S 5° E 21 lbs. dist. of



# East N 9 E. 2<sup>d</sup> Mer. Indiana

ch Pkly

a Gum 8 in. dia. bray N 20 W 19 ch. dist. of  
Land level 3<sup>d</sup> rate, timber Beech, Gum  
Poplar &c.

East On Land<sup>m</sup>. between Sec. 16 & 21

40.00 Set temp. of Sec. post

79.80 Intersected the N & S. line at the post  
Land timber &c. Same as on the last mile

West Connected between Sec. 16 & 21

20.00 a Stream 15 th. wide Crosses S. W.

39.90 Set of Sec. post at average dist. from which  
a Beech 15 in. dia. bray N 20 E 16 ch. dist. of  
a do. 16 " " " N 60 E 24 " "

79.80 to Sec. Corner.

North Between Sec. 16 & 17

40.00 a W. Ash 12 in. dia. Stand for the  
of Sec. Corner

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which  
a Beech 14 in. dia. bray N 4 W 30 ch. dist. of  
a do. 13 " " " N 30 W 24 " "  
Land timber &c. Same as on the last mile

North Between Sec. 19 & 20

40.00 Set of Sec. post, from which

a Maple 24 in. dia. bray N 40 W 18 ch. dist. of  
a Beech 8 " " " N 78 E 31 " "

80.00 Set post Cor. to Sec. 17, 18, 19 & 20

(The bearing trees Omitted)

Land timber &c. Same as on last mile

East On Land<sup>m</sup>. between Sec. 17 & 20

40.00 Set temp. of Sec. post

79.74 Intersected the N & S. line at the post  
Low wet land 3<sup>d</sup> rate, Beech, Oak, Gum &c.

# 389

## S. N. R. G. E. 2<sup>d</sup>. Mer. Indiana

Ch. 1<sup>st</sup> M.

West Corner between Sec. 17 & 20

10.83 a W. Oak 36 mi. dist.

19.00 a Small Stream 6 mi. wide S.

39.87 Let q. Sec. post, at average dist. from which  
a W. Oak 24 mi. dist. by N 40 E 5 mi. dist. of  
a Doub. Beech 10 " " " N 10 E 10 " "

62.50 a Stream 6 mi. wide E. S.

68.00 a do. 6 " " " S.

79.74 to Sec. Corner

West Between Sec. 18 & 19

14.00 a Beech 22 mi. dist.

40.00 Let q. Sec. post, from which  
a Beech 14 mi. dist. by N 39 E 5 mi. dist. of  
a do. 12 " " " N 40 E 15 " "

79.00 Intersected N. boundary at the post.  
Land level 3<sup>rd</sup> rate, timber Beech, Oak,  
Gum &c.

North Between Sec. 17 & 18

40.00 Let q. Sec. post, from which  
an Elm 12 mi. dist. by N 40 E 12 mi. dist. of  
a do. 16 " " " N 30 W 33 " "

80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which  
a Maple 16 mi. dist. by N 79 W 19 mi. dist. of  
a do. 4 " " " N 69 E 8 " "  
Land timber &c. same as on last mile

West Between Sec. 7 & 18

30.75 a W. Oak 18 mi. dist.

40.00 Let q. Sec. post, from which  
a Beech 40 mi. dist. by N 69 W 19 mi. dist. of  
a do. 4 " " " N 73 E 8 " "

75.00 a Stream 10 mi. wide E. S. W.

78.18 Intersected N. boundary 24 mi. S. of post  
Let post Cor. to Sec. 7 & 18, from which

390

S. N. R. G. 2<sup>d</sup> Mer. Indianach. 1<sup>st</sup>

a W. Oak 36 in. dia. 1/2 way N 60 E 28 in. dist. of  
 a Beech 15 " " " N 72 W 19 " "  
 Sand timber &c. Same as on the last mile

East On Rand<sup>m</sup>. between Sec. 8 & 1740.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.00 Intersected the N & S. line 28 in. S. of post  
 Level & wet 3<sup>d</sup>. rate, timber Oak, Gum &c.

West Correlated between Sec. 8 &amp; 17

40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 14 in. dia. 1/2 way North 50 in. dist. of  
 a Do. 12 " " " N 49 W 34 " "

80.00 to Sec. Corner

East On Rand<sup>m</sup>. between Sec. 9 & 1640.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post80.36 Intersected the N & S. line 12 in. S. of post  
 Level 2<sup>d</sup>. rate land, timber, Beech, Oak, Gum &c.

West Correlated between Sec. 9 &amp; 16

10.00 a W. Oak 22 in. dia.

40.18 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 8 in. dia. 1/2 way N 38 W 13 in. dist. of  
 a W. Oak 14 " " " N 56 W 27 " "

49.50 a Stream 12 in. wide C. P. S. ...

80.36 to Sec. Corner.

East On Rand<sup>m</sup>. between Sec. 10 & 15

5.00 a Stream 10 in. wide runs S.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.61 Intersected the N & S. line at the post  
 Land level 3<sup>d</sup>. rate, timber Beech, Oak,  
 Poplar, Gum &c. Soil cold, good meadowland

West Correlated between Sec. 10 &amp; 15

391

*Sec. 129 E. 2<sup>nd</sup> Mer. Indiana*  
*ch. P. 117*  
 39.80 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Poplar 18 mi. dist. by N 45 W 26 km. dist. of  
 a Beech 8 " " " N 4 W 16 " "  
 43.00 a W. Oak 24 " "  
 75.25 a stream 10 km. wide Course S.  
 79.61 to Sec. Corner

---

*East On Rand<sup>m</sup>. between Sec. 11 & 14*  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.00 Intersected the N & S. line 44 km. S. of post  
 Land level 2<sup>nd</sup> rate, timber Beech, Oak, Poplar  
 Gum &c. underg<sup>th</sup>. Spruce

---

*West Connected between Sec. 11 & 14*  
 39.50 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Beech 8 mi. dist. by S 65 W 18 km. dist. of  
 a do. 8 " " " N 45 E 19 " "  
 79.00 to Sec. Corner.

---

*East On Rand<sup>m</sup>. between Sec. 12 & 13*  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 80.37 Intersected E. boundary 20 km. N. of post  
 Land timber &c. same as on the East side

---

*West Connected between Sec. 12 & 13*  
 34.37 a Spring branch runs N. E.  
 40.18 Set q<sup>r</sup>. Sec. post, at average dist. from which  
 a Beech 16 mi. dist. by N 71 E 20 km. dist. of  
 a W. Oak 18 " " " N 61 W 26 " "  
 41.00 a do. 18 " "  
 80.37 to Sec. Corner.

---

*North Between Sec. 11 & 12*  
 40.00 Set q<sup>r</sup>. Sec. post, from which  
 a Beech 10 mi. dist. by West 4 km. dist. of  
 a do. 4 " " " East 5 " "



392

S. N. R. 9 E. 2<sup>d</sup>. Mer. Indiana

ch. 1/2  
 50.00 begin to descend a hill (steep)  
 60.00 a Stream 12<sup>1</sup>/<sub>2</sub> m. wide Cr. 370 E begin to ascend  
 80.00 Set post Cor. to Sec. 1, 2, 11 & 12, from which  
 a Beech 12 m. diam. bran North 24<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Do. 14 " " " N 18 W 18 "  
 This mile broken 3<sup>d</sup>. rate, Beech, Poplar, Gum &c

---

East On Land<sup>m</sup>. between Sec. 1 & 12

40.00 Set temp. gr. Sec. post  
 80.90 intersected the E. boundary 38<sup>1</sup>/<sub>2</sub> m. South. of post  
 Sand timber &c. same as on the last mile

---

## West Cor. betw. Sec. 1 &amp; 12

11.00 a Spring branch runs S.  
 40.45 Set gr. Sec. post at average dist. from which  
 a Poplar 24 m. diam. bran S 60 W 36<sup>1</sup>/<sub>2</sub> m. dist. of  
 a W. Oak 14 " " " N 18 W 18 "  
 begin to descend a steep hill  
 80.90 to Sec. Corner.

---

## North Between Sec. 1 &amp; 2

16.00 a very handsome Cliff of rock 40 feet high, a fine  
 Spring branch runs S. N. the Cliff is on the N. side  
 of the Spring branch  
 40.00 Set gr. Sec. post, from which  
 a W. Oak 24 m. diam. bran S 20 E 24<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Poplar 18 " " " N 50 E 21 "  
 enter rich level land  
 84.37 intersected N. boundary 125<sup>1</sup>/<sub>2</sub> m. E. of post  
 Set post Cor. to Sec. 1 & 2, from which  
 a W. Oak 8 m. diam. bran S 80 E 8<sup>1</sup>/<sub>2</sub> m. dist. of  
 a Hickory 8 " " " N 60 W 19 "  
 Good 2<sup>d</sup>. rate land, timber Beech, Oak, Poplar  
 Gum &c. underg<sup>d</sup>. Spruce

---

## North Between Sec. 10 &amp; 11

# S. N. R. G. E. 2<sup>d</sup> Mer. Indiana

393

ch. 2. 1/2

- 40.00 Set q. Sec. post, from which  
a Beech 3 mi. dist. by East 3/4 m. dist. of  
a W. Oak 14 " " " S 10 W 11 " "  
80.00 Set post Cor. to Sec. 2, 3, 10 & 11, from which  
a W. Oak 14 mi. dist. by East 29 W 3/4 m. dist. of  
a Do. 16 " " " S 40 W 30 " "  
Level 2<sup>d</sup> rate land, Beech, Oak, Hickory &c.

## East On Land<sup>m</sup>. between Sec. 2 & 11

- 40.00 Set temp. q. Sec. post  
79.63 Intersected the N. & S. line 50 m. S. of post  
First 1/2 broken, Beech, Oak, Poplar & Gum

## West Connected between Sec. 2 & 11

- 9.00 a stream 16 m. wide comes S. begin to ascend a  
Cliff of Rocks  
39.91 Set q. Sec. post at average dist. from which  
a Beech 14 mi. dist. by East 6 m. dist. of  
a W. Oak 18 " " " S 28 W 31 " "  
69.38 a Do. 24 " "  
79.63 to Sec. Corner.

## North Between Sec. 2 & 3

- 19.75 a Poplar 24 m. dist.  
40.00 Set q. Sec. post, from which  
a W. Oak 28 mi. dist. by South 9 m. dist. of  
an Elm 12 " " " N 30 W 21 " "  
begin to descend  
43.50 a stream 12 m. wide runs E.  
84.58 Intersected N. boundary 50 m. E. of post  
Set post Cor. to Sec. 2 & 3, from which  
a Beech 12 mi. dist. by N 45 E 14 m. dist. of  
a Poplar 18 " " " S 39 W 25 " "  
This mile some broken Beech, Oak, Hickory  
Open woods 2<sup>d</sup> rate.

394 S. N. R. G. E. 2<sup>d</sup> Mer. Indiana

ch<sup>d</sup>. l<sup>y</sup>  
North Between Sec<sup>s</sup>. 9 & 10

12.00 a Small brook 6 l<sup>y</sup>. wide C. S. E.

40.00 Set of Sec. post, from which  
a Gum 10 m. dist. bearing S 48 E 13 l<sup>y</sup>. dist. of  
a Do 8 " " " N 4 W 19 " "

80.00 Set post Cor. to Sec<sup>s</sup>. 3, 4, 9 & 10, from which  
a Gum 8 m. dist. bearing S 50 W 12 l<sup>y</sup>. dist. of  
a Do. 12 " " " N 60 E 2 l<sup>y</sup>. " "  
Level 2<sup>d</sup> rate land, timber Oak, Gum &c.

---

East On Rand<sup>m</sup>. between Sec<sup>s</sup>. 3 & 10

40.00 Set temp<sup>y</sup>. of Sec. post

79.55 Intersected the N & S line 9 l<sup>y</sup>. N. of post  
Level 3<sup>d</sup> rate land, Beech, Maple, Gum &c.

---

West Connected between Sec<sup>s</sup>. 3 & 10

20.70 a W. Oak 28 m. dist.

39.77 Set of Sec. post at average dist. from which  
a Hickory 14 m. dist. bearing N 36 W 17 l<sup>y</sup>. dist. of  
a Do. 8 " " " S 50 E 20 " "

79.55 to Sec. Corner

---

North Between Sec<sup>s</sup>. 3 & 4

16.10 a Hickory 18 m. dist.

40.00 Set of Sec. post, from which  
a Beech 9 m. dist. bearing S 21 E 16 l<sup>y</sup>. dist. of  
a W. Oak 16 " " " West 44 " "

84.03 Intersected the N. boundary 47 l<sup>y</sup>. E. of post  
Set post Cor. to Sec<sup>s</sup>. 3 & 4, from which  
a Maple 18 m. dist. bearing N 30 W 12 l<sup>y</sup>. dist. of  
a Hickory 12 " " " S 30 E 28 " "  
Land timber &c. same as on last mile

---

North & Between Sec<sup>s</sup>. 8 & 9

23.25 a Double Beech 14 m. dist.

40.00 Set of Sec. post, from which

395

S. N. R. G. D. Mer. Indiana

ch. 2. 1/2

- a W. Oak 24 in. dia. bray S 80 W 10 1/2 m. dist. of  
 a Do. 10 " " " " S 69 E 12 " "  
 65.00 a Stream 10 1/2 m. wide C. P. S. W.  
 80.00 Set post Cor. to Sec. 4, 5, 8 & 9, from which  
 a Dogwood 4 in. dia. bray N 5 W 7 1/2 m. dist. of  
 a Beech 12 " " " " S 60 E 14 " "  
 Sand timber & c. Same as on the last mile  
 Open woods

East On Land between Sec. 4 & 9

- 40.00 Set temp. of Sec. post  
 80.67 Intersected the N. of S. line 79 1/2 m. S. of post  
 Level 3<sup>rd</sup> rate land, Beech, Oak, Gum trees & c.

West Connected between Sec. 4 & 9

- 33.50 a Stream 8 1/2 m. wide C. P. S.  
 40.33 Set of Sec. post, at average dist. from which  
 an Elm 10 in. dia. bray N 19 E 8 1/2 m. dist. of  
 a Beech 14 " " " " S 27 W 19 " "  
 80.67 to Sec. Corner

North Between Sec. 4 & 5

- 32.50 a Stream 6 1/2 m. wide C. P. S. W.  
 37.70 a W. Oak 36 in. dia.  
 40.00 Set of Sec. post, from which  
 a Poplar 12 in. dia. bray S 30 W 18 1/2 m. dist. of  
 a Dogwood 5 " " " " N 79 E 15 " "  
 82.40 Intersected N. boundary 23 1/2 m. E. of post, a  
 Hickory tree 10 in. dia. Cor. to Sec. 4 & 5  
 Sand timber & c. Same as on the last mile

North Between Sec. 7 & 8

- 40.00 Set of Sec. post, from which  
 a Hickory 22 in. dia. bray S 50 W 22 1/2 m. dist. of  
 a White Oak 14 " " " " S 46 E 15 " "  
 48.00 a Stream 1 1/2 m. wide Course N.



# Post Rge. 2<sup>d</sup> Mer. Indiana

ch. lks

80.00 Set post Cor. to Secs. 5, 6, 7 & 8, from which  
a Sugar 12 in. dia. bear South 17 lks. dist. of  
a W. Oak 18 " " " N 40 E 6 " "  
Sand timber &c. Same as on the last mile

East Ont. Land<sup>m</sup>. between Secs. 5 & 8

40.00 Set temp. q. Sec. post,

79.00 Intersected the N. & S. line 61 lks. S. of post  
Sand timber &c. Same as on last mile

West Cor. between Secs. 5 & 8

39.50 Set q. Sec. post at average dist. from which  
a Co. m. 4 in. dia. bear N 8 W 12 lks. dist. of  
a Do. 6 " " " South 25 " "

79.00 to Sec. Corner.

North Between Secs. 5 & 6

26.00 a Stream 6 lks. wide Course S.W.

40.00 Set q. Sec. post, from which

a Gum 10 in. dia. bear S 39 E 19 lks. dist. of  
a Do. 16 " " " N 35 W 21 " "

48.00 a Stream 20 lks. wide Course S.W.

83.50 Intersected N. boundary at the post  
Sand timber &c. Same as on the last mile

West Between Secs. 6 & 7

8.00 a Stream 6 lks. wide Cr. S.W.

23.50 a Do. 20 " " " S.

40.00 Set q. Sec. post, from which

a B. Oak 16 in. dia. bear S 30 W 6 lks. dist. of  
a Beech 12 " " " N 45 E 14 " "

65.00 a Stream 6 lks. wide Course S.

79.00 Intersected W. boundary 55 lks. S. of post  
Set post Cor. to Secs. 6 & 7 of (witness trees  
made but not noted in consequence (the  
residue of the notes not legible))

ch. 111  
T. N. R. 9 E. 2<sup>d</sup>. Mer. Indiana

397

Surveyed May 1807  
By Stephen Ludlow, L. S.

You W<sup>m</sup> Loughridge & Robert Phillips do  
Solemnly Swear in the presence of allmighty  
god the searcher of all hearts that you will  
faith fully and Impartially carry a true &  
horizontle chain both in ascending & descending  
hills and give a true and accurate statem-  
ent of all cuts, pins & links to the best of your  
Skill & abilities for which you shall answer  
to god at the great day.

Robert Phillips E. S.  
William <sup>his</sup> Loughridge E. S.

Sworn & Subscribed before me this eight day of  
May in the year of our Lord eighteen hundred  
and seven.  
J. Ludlow, L. S.

(Note - The above is Copied verbatim. S. M.)

I Certify that the foregoing transcript of field notes of  
Township N<sup>o</sup>. 2 North, Range N<sup>o</sup>. 9 East 2<sup>d</sup>. Mer. Ind.  
has been Comp<sup>d</sup>. with the original notes in this Office,  
and found to be Correct.

Surveyor General's Office  
Cincinnati, Oct. 13. 1842

William Johnston  
Sur. Genl.

comp<sup>d</sup>